




## ISR SERIES Mounting Kits


Our Mounting Kits are better than the “other guy’s” and are constructed from high quality materials made here in the USA. Custom and Universal brackets install center of axle, Custom Brackets require less drilling and install faster, and our Universal kits fit more trucks without ordering extra kits.



**SuperLite**  
#2400 - 20K



**Super 5th**  
#1900 - 16K  
#2100 - 20K  
#2200 - 24K



**SuperGlide**  
#2700 - 16K  
#2900 - 20K  
#2300 - 24K

**NOTE:** In order to determine the total tow capacity of a system, you must consider the weight ratings of each component in that system. This includes, but may not be limited to, the rating of the tow vehicle, the fifth wheel hitch, and the hitch's mounting system. Actual tow capacity of the system will be equal to the lowest rated component.

		Universal	Universal HEAVY DUTY	Custom	Custom HEAVY DUTY	SuperRail
		PullRite#	PullRite#	PullRite#	PullRite#	PullRite#
<b>CHEVY / GMC</b>						
2020	2500 & 3500 (NO DRILL)			2770		2338
2016-2019	2500 & 3500 (NO DRILL) (designed for easier install)			2762		
2011-2019	2500 & 3500 (NO DRILL)			2724	2226	2328
2001-2016	2500 & 3500 HD	2720	2220			
1999-2010	2500 & 3500 HD			2734	2224	2326
2019-2020	1500 (New body style)			2768		
2007-2019	1500 (6-1/2' bed, old body style)	2720		2730		
<b>RAM</b>						
2013-2020	3500 (NO DRILL)			2742		
2014-2020	2500 (NO DRILL)			2746		2336
2013	2500 (NO DRILL)			2740		
2003-2012	2500 & 3500 (*NO DRILL) (does not fit 3500 w/ overload springs)	2720	2220	2736*	2230*	2330*
2016-2020	1500 (does not fit w/ air bags)			2764		
2009-2015	1500 (does not fit w/ air bags)			2728		
<b>FORD</b>						
2017-2020	F250 & F350 (NO DRILL)			2766		2332
2011-2016	F250 & F350 (NO DRILL)			2738	2228	2324
1999-2016	F250 & F350	2720	2220			2324
1999-2010	F250 & F350			2726	2228	
2015-2020	F150 (NO DRILL)			2760		
2004-2014	F150 (NO DRILL)			2732		
<b>TOYOTA</b>						
2007-2019	Tundra (fits all bed lengths)			2748		

ALL THE ABOVE KITS FIT LONG OR SHORT BED TRUCKS WITH ANY BRAND ISR HITCH. HD KITS ARE RECOMMENDED FOR HITCHES RATED FOR MORE THAN 20K

**UNIVERSAL KITS** include “L” Brackets, ISR Base Rails & Hardware. Heavy Duty kits include ISR HD Base Rails & Hardware

**CUSTOM KITS** include Custom Mounting Brackets, ISR Base Rails, & Hardware. Heavy Duty kits include ISR HD Base Rails, & Hardware

**SUPERRAIL KITS** featuring Clean Bed Technology include totally removable SuperRails & Posts, Mounting Brackets & Hardware for a clean truck bed!



## TRADITIONAL SERIES Mounting Kits



**#4100 - 16K** (left)  
**#4400 - 20K** (right)

Universal Mounting Kits  
only applicable for  
#4100 and #4400  
SuperGlide models



**#3100 - 12K**

### **SUPER SHORT BED SOLUTION**

#3100 SuperRail Mounting Kits  
only applicable to the #3100  
Traditional Series SuperGlide

**NOTE:** In order to determine the total tow capacity of a system, you must consider the weight ratings of each component in that system. This includes, but may not be limited to, the rating of the tow vehicle, the fifth wheel hitch, and the hitch's mounting system. Actual tow capacity of the system will be equal to the lowest rated component.

Universal	SuperRail	#3100 SuperRail
PullRite#	PullRite#	PullRite#

CHEVY / GMC				
2011-2019	2500 & 3500 (NO DRILL)		4428	
1999-2010	2500 & 3500	3340	3345	
2007-2019	1500 (6-1/2' bed, old body style)		4423	
1999-2007	1500 (6-1/2' bed, except 2007 mid-year body change)	3340	3345	
2019-2020	1500 (5'8", new body style)			3124*
2007-2019	1500 (5'8" bed, old body style only)			3117*
2004-2007	1500 (5'8" Bed, except 2007 current body style)			3114*
RAM				
2013	2500 (NO DRILL)		4440	
2003-2012	2500 & 3500 (NO DRILL)		3349	
2019-2020	1500 (5'8" bed, new body style) (NO DRILL) (does not fit Ram 1500 w/ factory air suspension)			3125*
2009-2019	1500 (5' 7" & 6-1/2' bed. Old body style)			3122*
2002-2008	1500 (NO DRILL)		3349	
1995-2002	(except '02 1500)	3340	3346	
FORD				
1999-2016	F250 & F350	3340	4426	
2015-2020	F-150 (5' 6" bed)			3123*
2004-2014	F-150 (6-1/2' bed)		3361	
1997-2003	F-150 (6-1/2' bed)	3340	3342	
2009-2014	F-150 (5' 7" bed)			3119*
2004-2008	SuperCrew F-150 (5' 6" bed)			3113*
2001-2003	SuperCrew F-150 (5' 6" bed)			3111*
TOYOTA				
2007-2019	Tundra (Double Cab Only, 6-1/2' bed, Universal Rails with Custom Mounting Brackets)	4421		
2001-2006	Tundra (Standard Extra Cab)			3112*
2007-2019	Tundra (Crew Max and 5' 8" bed only)			3118*

ALL THE ABOVE KITS FIT 6-1/2' SHORT BED TRUCKS, EXCEPT #3100 SUPERGLIDE WHICH IS DESIGNED FOR SUPER SHORT (5-1/2') BEDS ONLY.  
\* TO DETERMINE CORRECT #3100 SUPERGLIDE TRUCK/TRAILER COMBINATIONS, GO ONLINE TO [PULLRITE.COM/3100\\_HIW](http://PULLRITE.COM/3100_HIW).

**UNIVERSAL KITS** include "bolt to the bed" Baserails, Universal "L" Brackets and Hardware

**SUPERRAIL KITS** featuring *Clean Bed Technology* include totally removable SuperRails & Posts, Mounting Brackets & Hardware for a clean truck bed!

**#3100 SUPERRAIL KITS** featuring *Clean Bed Technology* include totally removable SuperRails & Posts, Mounting Brackets & Hardware for a clean truck bed!



# SINGLE POINT ATTACHMENT HITCHES and Accessories



**#2600 - 20K**  
(SuperLite King Pin Adapter  
and Handle included)

PullRite's line of SuperLite and our NEW Super 5<sup>th</sup> single point attachment hitches combine the lightweight design of a SuperLite hitch base with the innovation of an underbed gooseneck mounting system.

Lightweight and stronger than aluminum, the base made from high grade American steel. Mounts directly to your truck's OE puck mounting system or any aftermarket underbed gooseneck with a 2-5/16" ball.

Bed Saver Rails prevent damage to your truck bed through movement of the hitch base because they act independently to insulate your bed from hitch movement. Multiple height adjustments for bed side clearance. All models SAE J2638 tested. **MADE IN USA.**



**#3900 - 24K**

NOTE: In order to determine the total tow capacity of a system, you must consider the weight ratings of each component in that system. Actual tow capacity of the system will be equal to the lowest rated component, including the vehicle tow rating.


## Mounting Hardware

CHEVY / GMC		
2016-2020	2500 & 3500, long and short bed trucks w/ OE tow package	4437
2008-2020	2500 & 3500, long and short bed trucks w/ aftermarket 2-5/16" gooseneck ball	SEE GOOSENECK MANUFACTURER
RAM		
2008-2020	2500 & 3500, long and short bed trucks w/ OE tow package	4437
2013-2020	2500 & 3500, long and short bed trucks w/ aftermarket 2-5/16" gooseneck ball	SEE GOOSENECK MANUFACTURER
FORD		
2008-2020	F250 & F350, long and short bed trucks w/ OE tow package	4437
2010-2020	F250 & F350, long and short bed trucks w/ aftermarket 2-5/16" gooseneck ball	SEE GOOSENECK MANUFACTURER

## GOOSENECK PLATES & ADAPTERS



## SINGLE POINT ACCESSORIES



PART#	PRODUCT DESCRIPTION
4436	30K OE CAM-ACTION BALL W/ PIN & CLIP
4437	30K OE CAM-ACTION BALL W/ PLATE
443701	OE CHAIN PLATE ONLY
2621	OE GOOSENECK BALL LOCK KIT
4443	30K SUPERLITE HORSE TRAILER / GOOSENECK ADAPTER

PART#	PRODUCT DESCRIPTION
2620	GM PUCK PLUG SET (4 PCS)
2616	GM BED SUPPORT BRACKET KIT
2618	BED SAVER PLASTIC SLIDE SET
4446	ROTA-FLEX PIN BOX ISOLATOR
4447	ROTA-FLEX PIN BOX ISOLATOR





## OE PUCK SERIES HITCHES & Accessories

SuperGlide is now available in our expanding OE Puck Series line of fifth wheel hitches, as well as two new Super 5<sup>th</sup>s for GM trucks! These direct attachment hitches mount directly to your truck's OE mounting points...NO ADAPTER RAILS NEEDED!

The mounting post assemblies on each model are completely removable for easier removal and installation of the hitch. Simply unpin handles, rotate 1/4 turn outward and lift the hitch out of the bed. NO TOOLS NEEDED! Premium hardware, like the use of castle nuts, allow for finer adjustments of the OE puck handles for ease of installation and fit! All models SAE J2638 tested. MADE IN USA.

**NEW!**

### OE PUCK SERIES SUPERGLIDE



PART#	PRODUCT DESCRIPTION
2714	16K OE SERIES SUPERGLIDE FOR FORD
2914	18K OE SERIES SUPERGLIDE FOR FORD
2715	16K OE SERIES SUPERGLIDE FOR GM
2915	18K OE SERIES SUPERGLIDE FOR GM
2315	24K OE SERIES SUPERGLIDE FOR RAM

### OE PUCK SERIES SUPER 5<sup>TH</sup>



PART#	PRODUCT DESCRIPTION
1300	18K OE SERIES SUPER 5 <sup>TH</sup> FOR FORD
1400	25K OE SERIES SUPER 5 <sup>TH</sup> FOR FORD
1500	18K OE SERIES SUPER 5 <sup>TH</sup> FOR GM
1600	25K OE SEREIS SUPER 5 <sup>TH</sup> FOR GM
1800	25K OE SERIES SUPER 5 <sup>TH</sup> FOR 2020 GM

**NEW!**

**NOTE:** In order to determine the total tow capacity of a system, you must consider the weight ratings of each component in that system. This includes, but may not be limited to, the rating of the tow vehicle, the fifth wheel hitch, and the hitch's mounting system. Actual tow capacity of the system will be equal to the lowest rated component.

**ISR RAIL  
ADAPTERS**  
PullRite#

**OE PUCK  
SERIES  
SUPER 5<sup>th</sup>**

**OE PUCK  
SERIES  
SUPERGLIDE**

GM				
2020	2500 & 3500	4452	1800	
2016-2019	2500 & 3500 (not compatible with #2300 HD SuperGlide)	4444	1500/1600	2715/2915
RAM				
2014-2020	2500 & 3500	4439		2315
2013	3500	4439		2315
FORD				
2010-2020	F250, F350 & F450	4442	1300/1400	2714/2914
<b>ISR RAIL ADAPTER KITS featuring Clean Bed Technology include totally removable SuperRails, Posts &amp; Hardware for a clean truck bed!</b>				

### OE SERIES ISR RAIL ADAPTERS

Converts any ISR Series, or any industry standard type, hitch into an OE Puck Mounted system. Quick install/removal with pins and clips, NO TOOLS REQUIRED, leaves you with a clean bed. SAE J2638 tested.

PART#	PRODUCT DESCRIPTION
4439	OE SERIES RAIL ADAPTER FOR RAM (LEFT)
4442	OE SERIES RAIL ADAPTER FOR FORD
4444	OE SERIES RAIL ADAPTER FOR GM
4452	OE SERIES RAIL ADAPTER FOR 2020 GM

